

# The Awareness and Perception of Spyware amongst Home PC Computer Users

M.Jaeger and N.L.Clarke

Network Research Group, University of Plymouth, Plymouth, UK  
e-mail: [info@network-research-group.org](mailto:info@network-research-group.org)

## Abstract

Spyware is seen currently as a major threat to personal computer based data confidentiality, whilst seen by criminal elements as a positive moneymaking device through personal data theft from security unconscious home internet users. This paper examines the level of understanding of anonymous home computer users to Spyware, their subjective understanding of it, the level of use of Anti-Spyware software, what level of threat they feel from Spyware, as well as if Spyware has changed their browsing habits. The methodology employed was an anonymous survey via email invitation and of those that accepted the invitation, 205 completed surveys were obtained. From the resulting survey analysis, most respondents do understand what Spyware is, yet there was found to be a lack of understanding of computer security in defending against Spyware, this being shown by 20% of survey respondents who did not use any Anti-Spyware. What was also found was a small proportion of participants who did not correctly understand what Spyware is. Additionally the subjective nature of survey respondent's ideas of Spyware infected websites was established, and compared to past web-crawl research from 2005, here a high proportion of survey respondents opinions was found to be objectively wrong. It was also found respondents see Spyware as a 'High/Some Threat', and due to past infections and news/media articles 72% have changed their browsing habits.

## Keywords

Spyware, Anti-Spyware Software, Spyware Web-Crawl, Information Security

## 1. Introduction

In recent years there has been an emergence of software known as Spyware, programs created both for the covert and overt acquisition of personal or non-personal information from a personal computer (PC) connected to the internet, as stated by (Sariou *et al.*, 2004). This is now a persistent security problem to home PC users; the old security culprits of Malware (the viruses), are being superseded by Spyware, and to a lesser extent other newer forms of Malware e.g. key loggers and email phishing. Spyware programs are to an extent intelligent, able to hide via changing their signature, execute code without user intervention and move through networks invisibly whilst serving their own purpose.

Most research undertaken on Spyware is based on levels of Spyware infection on scanned desktop PC's, for example a survey (AOL/NCSA, 2005) by National Cyber Security Alliance (NCSA) in 2005 found from 354 respondents 38% had no Spyware protection, yet 83% felt safe from online threats; however 61% of the respondents had a form of Spyware or Adware on their PC. Equally an analysis report on

Spyware from (Webroot Software Inc, 2005) stated that during the course of the third quarter of 2005, an important and alarming Spyware trend emerged. Where, many home computer users are admittedly afraid of becoming a victim of identity theft from using the Internet. So some home PC users are worried and others are not.

This research aims to use past research into Spyware and infected website categories to ask home PC users which websites they think are the most likely to have Spyware. Original questions were asked of survey respondents, for example do respondents use Anti-Spyware and if so what vendor, do they understand what Spyware is and what level of threat do they feel from Spyware; respondents were also asked if they had changed their internet browsing habits due to past infections and or world news media articles. This papers format is to outline past Spyware research, followed by the methodology to investigate the attitudes of home PC users to Spyware. Specific aspects of research will be looked at; in terms of understanding what Spyware is, the use of Anti-Spyware software and the subjective belief of Spyware infestation in specified website categories. These results are then discussed and conclusions presented.

## 2. Background

Most research on Spyware has been completed on identification, categorisation and removal of Spyware; this new research looks at Spyware from the subjective viewpoint of the home PC user, as well as security measures employed. Past research has made little effort into understanding user awareness of Spyware and its activities; however some good research has been done.

This is shown by work produced by (Freeman and Urbaczewski, 2005) which states reasons why people hate Spyware. Whilst a paper by (Zhang, 2005) shows consumer understanding of Spyware in terms of their knowledge level. This is again revealed by a similar study by (Qing and Tamara, 2005), who believe in the concept of educating PC users to remove complacency that they have over Spyware, this research established user awareness factors were most accurate in showing which users took active measures against Spyware. Whilst a research paper created by (Awad and Fitzgerald, 2005) took a different viewpoint looking at what consumers find most deceptive about Spyware. Even though home PC users are worried about internet identity theft they do seem to have a love-hate aspect to Spyware, consumers will allow its usage on their own home PCs if there is a pay off i.e. in terms of peer-2-peer (P2P) software where the ability to download anything they want is assuaged by Spyware monitoring what they are doing, producing advertisement activation in the P2P software itself, these are seen as “Overt Providers” by (Warkentin *et al.*, 2005); this research also points to creating new legislation to segment Spyware software into positive and negative forms, with legal protection for some and prosecution for others.

As Spyware becomes a more prevalent infection vector, more research needs to be done into what home PC users actually think about Spyware in terms of their level of understanding, security implemented and awareness as to where they think Spyware is on the internet. Current Spyware articles point to a major problem in consumer

understanding of Spyware due to complacency, lack of knowledge or an inappropriate safe feeling whilst using the internet, consumers seem to have an 'it will not happen to me' attitude to Spyware infections.

### **3. Methodology**


The method selected for this avenue of research was an online anonymous survey. The analysis of the survey data was via Qualitative analysis; this analysis form was chosen as it shows a complete, detailed depiction of collected data; whilst interpreting data distinctions by using logical human deductions. Creation of the survey was done over a number of versions to produce the correct wording, syntax and structural flow. Once the final version was decided upon, the collection process was set out over a series of months; this period lasted from 03/03/06 to 26/07/06. Data collection was via anonymous survey response, allowing for more candid question answering. Survey invitation was via the use of email (containing the survey web link and basic information about the research); this was then sent to as many people as possible.

The chosen design approach was not to use normal demographics e.g. Age, Gender, Education. The reason for this is that computer skills in terms of ability are not dependent on any of the above demographic traits. So the base gauge decided upon was the respondent's subjective understanding of their own computer skill level. The only problem with this is the subjective nature of under or overestimating ones own ability. As such four catch all levels were created: Novice home PC user, Intermediate home PC user, Advanced home PC user and IT Professional. A skill set example was provided for each level, each level encompassed a series of computer skills which increased in knowledge and complexity dependent on the respondents understanding of computing. The survey was partitioned into 6 sections; grouping together similar avenues of questioning. The sections are as follows: PC Usage, PC Setup/Configuration, Experiences of and with Spyware, Understanding of Spyware, Past Spyware Infections and Other Known Internet Security Threats.


### **4. Results**

An opening question was asked of the 205 survey respondents, 'what is your home computer used for' e.g. Email and Online Shopping; results are shown in Figure 1.

An interesting piece of data from Figure 1 points to 50% of respondents using P2P software, P2P software is a known harbour for both Spyware and other forms of Malware. As such these respondents must be tacitly accepting possible infections as a consequence of the possible positive P2P software usage.



**Figure 8: What Is Your Home Computer Used For?**



**Figure 9: % of Home Computer Users Using Anti-Virus, Firewalls and Software Patching.**

This was followed by a question about whether they software patched their home computer, used a Firewall and used Anti-Virus software; these results are shown in Figure 2. What can be seen is that most respondents do use these security controls, however a small proportion do not, whilst some ‘Do not Know’ if they do or do not, this data can also be looked at alongside how many respondents use Anti-Spyware in Figure 3.

	Total	Have you heard of (come across the phrase) “Spyware” before?	
		Yes	No
Total	205	196	9
		96%	4%

**Table 1: What Do You Feel Is Your Skill Level With Your Home PC?**

Of the 196 respondents who had heard of Spyware, as shown in Table 1, only 82% of these respondents picked the most widely decided definition of what Spyware is (as shown in Table 2), that being ‘Spyware gathers information about what I am looking at on the internet and sends it back to a central computer.’

	Total	Novice Home PC User	Intermediate Home PC User	Advanced Home PC User	IT Pro
<b>Total</b>	<b>196</b>	2	68	75	51
<b>Spyware is a nasty computer virus.</b>	9	1	7	1	0
		50%	10%	1%	0%
<b>Spyware sends me to annoying web sites I do not want to go to.</b>	7	0	4	1	2
		0%	6%	1%	4%
<b>Spyware gathers information about what I am looking at on the internet and sends it back to a central computer.</b>	161	1	44	70	46
		50%	65%	94%	90%
<b>Spyware is a form of annoying popup advertising that appears when I go to certain web sites.</b>	19	0	13	3	3
		0%	19%	4%	6%

**Table 2: Which Phrase Best Describes What “Spyware” Could Be?**

Conversely for the respondents that had heard of Spyware, Table 2 shows the survey data details. As such the user groups who understood what Spyware is were unsurprisingly the Advanced Users and IT Professionals; however there does seem to be some misunderstanding of what Spyware is. From the data 18% (35 respondents out of the 196 respondents that know what Spyware is) misidentified Spyware as either a ‘Virus’ – 9 respondents, or ‘Adware’ – 7 respondents, or finally a ‘Pop-Up’ – 19 respondents. Survey respondents in general do seem to know from this survey what Spyware is, as can be seen in Table 2, where 79% or 161 respondents out of the total of 205 respondents correctly knew what Spyware is.

As can be seen from Table 3 of those who had heard of Spyware (as found in Table 1), a high proportion have had a Spyware infection, this being 64% of respondents; this is much more than those that have not had a Spyware infection. Of those that had acquired a Spyware infection most were able to remove the problem themselves, as shown by Table 3 where 53% of all survey respondents used their own Anti-Spyware


to remove the infection from their PC. Only a small proportion required 3<sup>rd</sup> party customer support help, this being 3% or 6 respondents. Furthermore only 8% of survey respondents had to re-image their home computer.

	Total	Removed it myself with my Home PC's Anti-Spyware software.	Required my home PC's customer support to help me remove Spyware using my home PC's Anti-Spyware software.	Called my home PC's customer support with problem, told to download Anti-Spyware, then walked through how to use it.	Unable to remove it from home PC, had to reinstall all software including operating system.
<b>Total</b>	<b>196</b>	104	3	3	15
<b>No, I have never had a "Spyware" infection.</b>	71	0	0	0	0
		0%	0%	0%	0%
<b>Yes, up to 3 Months ago.</b>	65	54	2	3	6
		52%	67%	100%	40%
<b>Yes, up to 6 Months ago.</b>	16	14	0	0	2
		14%	0%	0%	13%
<b>Yes, up to 9 Months ago.</b>	8	6	0	0	2
		6%	0%	0%	13%
<b>Yes, up to 1 year ago.</b>	16	14	0	0	2
		14%	0%	0%	13%
<b>Yes, 1+ year(s) ago.</b>	20	16	1	0	3
		15%	33%	0%	20%

**Table 3: Past Spyware Infections on Respondents Home PC's and Resolution Methods Used.**

In terms of defending themselves against Spyware, of the Anti-Spyware software used there is a clear winner as shown in Figure 3; furthermore it seems many consumers use multiple Anti-Spyware software, as the total of Anti-Spyware software used - 215, is larger than the total survey response of 205. Spybot comes top with 36% of respondents using the software, its high usage is probably down to being freeware, as well as having been around the longest (since at least October 2002), it is also updated regularly and is known to have a good scan engine. Next is Lavasofts Ad-Aware, again this software has a freeware version that is regularly updated but has not been around for as long as Spybot, it is also known to have a good scan engine. Next is the 20% of respondents who do not use any Anti-Spyware software at all, this equates to 39 respondents; comparing this answer to survey security questions on Anti-Virus, Firewall usage and security patching we find the

following respondents who do not use any Anti-Spyware software; where 13 respondents do not use Anti-Virus, 6 respondents do not use a Firewall and 3 respondents do not security patch the Operating System of their home PC. This information points to the glaring problem of why Spyware can spread quickly in this age of Broadband communications; the problem is that the onus is on the PC owner. With that comes a disparate level of computer security knowledge.




**Figure 10: % Breakdown Of All Anti-Spyware Software Used On Each Respondents Home PC.**

Subsequently, a question was asked in terms of the type of sites that could contain Spyware, the web site classifications covered most of the main sites people go to and the results can be seen in Table 4. From the raw data shown in Table 4 it can be seen that Adult Oriented sites and Pirate Software site are what respondents think contain the most Spyware; with the least likely being Online News sites followed by Kids oriented websites.

	Definitely/Yes	Possibly/Maybe	No	Do not Know
<b>Adult Entertainment</b>	72%	24%	1%	3%
<b>Pirate Software/Warez</b>	70%	21%	3%	6%
<b>Screensaver/Wallpaper</b>	37%	42%	10%	10%
<b>Music Orientated</b>	23%	61%	8%	8%
<b>Games Oriented</b>	22%	60%	11%	7%
<b>Celebrity Oriented</b>	18%	61%	8%	13%
<b>Kids Orientated</b>	11%	43%	32%	14%
<b>Online News</b>	5%	33%	45%	17%

**Table 4: Home PC Users Opinion of Website Categories That Contain Spyware.**

In terms of other forms of Malware infections, respondents were asked if they had received a Phishing email, just under half of respondents - 48%, had received a phishing email trying to obtain personal data, whilst 52% had not. From this avenue of questioning respondents were also asked as to what other Malware infections/devices they had been infected by, these are seen in Figure 4.



**Figure 11: Other Malware Infections as % of Respondents.**

What can be seen in Figure 4 is that the old sources of Malware infection are still evident: the Viruses, Trojan Horses and Worms. Even as more recent forms of infection vector are becoming more plentiful. This can be seen by the level of Browser Hijacker, Key Logger and BotNet infection. Additionally Dialler infections will probably reduce over time as Broadband becomes the mainstream, with less and less narrowband internet connections used.

	High Threat	Some Threat	Very little Threat	No Threat	Do not Know
<b>Virus</b>	56%	35%	8%	1%	1%
<b>Worm</b>	54%	28%	11%	1%	6%
<b>Trojan Horse</b>	55%	26%	9%	3%	7%
<b>BotNet</b>	27%	26%	18%	5%	24%
<b>Key Logger</b>	37%	23%	17%	6%	17%
<b>Dialler</b>	21%	27%	20%	15%	17%
<b>Browser Hijacking</b>	26%	31%	21%	7%	14%
<b>Email Phishing</b>	31%	28%	20%	13%	8%
<b>Spyware</b>	35%	40%	17%	3%	5%

**Table 5: Threat Levels As Seen By Survey Respondents.**

The survey respondents were then asked as to how much of a threat Spyware was to them on a scale from ‘High Threat’ to ‘No Threat’, the results are seen from Table 5. As can be seen the highest response to Spyware by 40% of home PC users was as

‘Some Threat’, the next highest response was from 35% of respondents who saw Spyware as a ‘High Threat’. This indicates that Spyware is seen as a serious threat by 75% of survey respondents.

<b>On your home PC have you become more careful about what web sites you visit on the internet generally due to any of the below reasons?</b>	
Yes, due to past infection/attack.	33%
Yes, due to information from 3rd party (e.g. TV News, Newspaper, etc.).	22%
Yes, due to past infection/attack and 3rd party information.	17%
No, I have not become more cautious.	28%

**Table 6: Have You Changed Your Website Browsing Habits Due To A Specific Reason?**

Furthermore, as can be seen from Table 6 a large proportion of the survey respondents have changed their website browsing habits, mainly due to past internet based infections and attacks i.e. Spyware. In total the respondents that changed their browsing pattern total is equal to 72% or 148 respondents.

## 5. Discussion and Evaluation


The results have shown that almost all respondents understand correctly what Spyware is, and of all the respondents a healthy amount use Anti-Spyware. Though from past history a high proportion of home PC users have had a Spyware infection, more than double those that have not. Furthermore most of these past infected respondents were able to remove the Spyware themselves with little outside help. This indicates that Anti-Spyware is becoming easy to use and effective. What is also of interest is that though software is seemingly able to remove Spyware, consumers seem to be doubling up with one to two Anti-Spyware software programs. It seems they may not be totally confident in the software yet, this may be due to the recent creation of most Anti-Spyware e.g. Microsoft’s Anti-Spyware software in January 2005. Only 39 respondents do not actively use Anti-Spyware, these respondents are not protected from Spyware and possibly will infect other people; they can be seen as a threat to the personal data security of others who do not use Anti-Spyware. However, Anti-Spyware users must keep their software regularly updated, as the Anti-Spyware users are only as well protected as their software is regularly updated.

Nevertheless it seems that even a proportion of the most allegedly knowledgeable of respondents, the ‘Advanced Users’ and ‘IT Professionals’, seem to not know correctly what Spyware is, as such there does seem to be a knowledge gap in terms of computer security and Spyware knowledge that needs to be bridged for a small proportion of respondents; and due to this lack of correct knowledge and possible scare mongering by the news media a high proportion of respondents have changed their internet browsing habits. This possibly causes a fear of unknown internet websites, as users may possibly get a Spyware/Malware infection from accessing them. Furthermore this fear, coupled with possible news media scare mongering, and accompanied by a lack of computer security knowledge to remove possible

infections (in case of detrimental damage to their home PC), may lead to increased levels of Spyware and Malware infection.

Of tremendous interest from the survey data, is the high proportion of respondents who use P2P software (a known Spyware infection route). Does this mean that Spyware monitoring in P2P software is ok for some consumers, where this type of Spyware used is seen as an “overt provider” by (Warkentin *et al.*, 2005). Does this then mean as (Warkentin *et al.*, 2005) states that some consumers see some Spyware as ok, as long as they get some kind of positive benefit from losing some of their online privacy. If this is the case does this not mean that not all Spyware is as bad as we think, as (Warkentin *et al.*, 2005) state in their research, legislation does not sufficiently cover the differential nature of Spyware, and that a comprehensive categorisation of Spyware must be undertaken to produce a far more democratic legislation process. This is needed, as can be seen in the grey area of client/server management agents like SNMP being used on employee’s corporate computers. The agent software could possibly be classed akin to Spyware dependent on how it is used, as the likelihood is the employee will not know about it, and that data may or may not be used remotely in the company by other departments.

In terms of evaluating the subjective Spyware infested website comparison research, the basis of the data analysis on Table 4 is from the research paper by (Moshchuk *et al.*, 2006), which was a web-crawl during 2005 across a number of website categories looking for Spyware. Figure 2 is a graphical explanation of Table 3 from (Moshchuk *et al.*, 2006) research, showing the most Spyware infested website category domains, in comparison survey respondents were asked to subjectively gauge which had the most Spyware. From the graphical extrapolation in Figure 2, the Top 4 website domains containing Spyware by percentage can be seen in descending order: Games websites (20%), Music websites (11.40%), Wallpaper/Screensaver websites (9.60%) and Celebrity websites (7.60%).



**Figure 2: Executable Spyware Infections across Web Categories.**

From the survey results in Table 4 and Figure 2, the respondents understanding of which websites categories that contain the most Spyware can be gauged. Furthermore it can be seen if knowledge is the basis of their assumptions or website prejudice. For the home PC users they subjectively felt that the following Top 4 website categories, in decreasing order, as shown previously in Table 4 have the most inherent Spyware: Adult Entertainment websites (72%), Pirate Software websites (70%), Wallpaper/Screensaver websites (37%) and Music Orientated websites (23%).

	Games	Music	Wallpaper	Celebrity	Adult	Pirate	Kids	News
<b>Infected Domains</b>	20%	11.40%	9.60%	7.60%	7.50%	7.10%	1.60%	0%
<b>Home PC Users</b>	22%	23%	37%	18%	72%	70%	11%	5%

**Table 4 : Raw Data Showing Executable Spyware Infections across Web Categories.**

Essentially the home PC users were mainly wrong about the Top 4 Spyware infested website categories. From this evaluation of respondent's subjective assumptions it can be safely said that survey respondents were wrong, and their assumptions are probably down to preconceived prejudices against certain website categories. Though respondents may not know where Spyware is, they do feel that it is a threat, as survey results point out that the majority of respondents see Spyware as a 'High/Some Threat'. This is a feasible reason why a high proportion of respondents have changed their internet browsing habits, as a consequence of primarily past infections/attacks from for example Spyware; and secondly, news/media articles on the threat of Spyware and the associated loss of personal data from their personal computer.

## 6. Conclusions

Even though it seems a high proportion of home PC users understand the need for security software i.e. Anti-Spyware, and information is being understood in terms of this threat, there is still a problem of low computer security knowledge in a proportion of respondents, as stated by both (Qing and Tamara, 2005; Zhang, 2005); it creates user reservations in doing anything about possible current or future Spyware infections. Conversely some respondents use multiple Anti-Spyware software from different vendors, seemingly showing a current low level of trust in current software. However most only use one vendor, with a small proportion using none; however the use of Anti-Spyware is moot, unless it is kept up to date with scanning engine/signature patches. Nonetheless most who have had a past infection were able to remove it themselves with their own Anti-Spyware, those that needed 3<sup>rd</sup> party help were also able to remove their Spyware infection, only a small proportion were unable to and had to re-image their PC. This end user ability points to current software being easy to use and effective against current Spyware. Furthermore a large proportion of respondents do seem to understand what Spyware is in terms of a current definition, whilst seeing Spyware as a 'High/Some Threat'. This correct understanding of Spyware is however at odds with their incorrect judgment of which website category's contain Spyware; their judgments here are down to preconceived website category prejudices. This coupled with past Spyware

infections and news media articles has probably changed survey respondent's internet browsing habits, making them more cautious in terms of what they look at. This 'hit-and-miss' approach to computer security knowledge is probably down to a lack of access to simple and good computer security education, jointly associated to possible apathy to understand what is already there. Somehow home PC users must be taught, or re-taught how to reduce their security risks via updating their operating system with security patches, as well as how to correctly configure, patch and use their security software i.e. Anti-Spyware software. Conversely legislation must be looked at accurately to remove the potential 'grey area' of Spyware usage. As it can be argued that Spyware can be in some part positive to home PC users and at other times negative as (Warkentin *et al.*, 2005) explains. This Spyware segmentation must be created to remove possible legal prosecution of possible positive 'grey area' Spyware software.

## 7. References

- AOL/NCSA (2005). *AOL/National Cyber Security Alliance (NCSA) online safety study*. National Cyber Security Alliance., pp1-11.
- Awad, N. F. and Fitzgerald, K. (2005). The deceptive behaviors that offend us most about spyware. *Communications of the ACM*, 48, (8) pp55-60.
- Freeman, L. A. and Urbaczewski, A. (2005). Why do people hate Spyware? *Communications of the ACM* 48, (8) 50-53.
- Moshchuk, A., Bragin, T., Gribble, S. D. and Levy, M. H. (2006). *A crawler-based study of Spyware on the web*. Proceedings of the 13th Annual Network and Distributed System Security Symposium (NDSS 2006). February 2006. p17.
- Qing, H. and Tamara, D. (2005). Is Spyware an internet nuisance or public menace? *Communications of the ACM*, 48, (8) pp61-66.
- Sariou, S., Gribble, S. D. and Levy, H. M. (2004). *Measurement and analysis of Spyware in a university environment*. ACM/USENIX Symposium on Networked Systems Design and Implementation. San Francisco, CA.
- Warkentin, M., Luo, X. and Templeton, G. F. (2005). A framework for spyware assessment. *Communications of the ACM*, 48, (8) pp79-84.
- Webroot Software Inc (2005). *State of Spyware Q3 2005*. Webroot Software Inc., pp1-91.
- Zhang, X. (2005). What do consumers really know about Spyware? *Communications of the ACM* 48, (8) pp44-48.